

Swedish thinking. Better living.



Kitchen hoods



Electrolux




Gesture Control

Gampang digunakan, panel yang rapi, dilengkapi dengan panel sentuh dan gesture.



Energy Save

Hemat energi, membuat memasak lebih efisien.



Power Boost

Bebas asap, dengan daya hisap yang powerful, tidak perlu khawatir Ketika roasting atau grilling.



LED 3-Level Light

Memberikan tampilan yang lebih baik ketika Anda memasak dengan lampu LED yang lebih terang, dapat disesuaikan, dan hemat energi.



IQ Touch

Memberikan Anda kontrol sentuh yang mudah dan intuitif dengan ujung jari Anda.



Wider Fan Inlet

Membebaskan dapur Anda dari asap dan bau yang sangat kuat dengan desain tempat kipas yang lebih luas dan inovatif.



Slope Extractor Hood 90 cm

UltimateTaste 700 - ECT9740S

Stainless steel

Dimensi Produk :896 x (1052-1329) x 382 (WxHxD)(mm)

- 1,250 m³/h maximum airflow
- Motor inverter
- Gesture control
- Breeze+ function
- Powerful extraction-lower than 750
- Delay Off
- Fan 6 speed
- PowerBoost
- UI flat glass touch panel



Chimney Hood 90 cm - ECC9312K

(Stainless Steel / Black Glass)

Dimensi Produk : 895 x (584-979) x 485 (WxHxD)(mm)

- Power boost to maximum 1.500m³/h airflow
- 5+Power boost
- Touch+Gesture control
- AirFresh Mode
- Total connected load: 213W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level : Low 42 db, High 60 db



Chimney Hood 90 cm - EC19455S

(Stainless Steel / Black Glass)

Dimensi Produk : 898 x (630-1210) x 604 (WxHxD)(mm)

- Claimed airflow 1000m³/h
- Touch
- 3 fan speeds
- Carbon filter
- Air outlet: 150mm
- Motor power: 278W
- Noise level: Low 53 db, High 67 db



Chimney Hood 90 cm - ECT9740S

(SS430 / Black glass)

Dimensi Produk : 900 x (435-1015) x 454 (WxHxD)(mm)

- 1,200 m³/h maximum airflow
- IQ touch with 3 fan speeds
- 5 layer grease filtration
- LED light
- Recirculation or extraction operation models
- Carbon filter
- Motor power: 274W
- Total connected load: 276W
- Voltage : 220-240V
- Frequency: 50Hz
- Noise level : Low 55 db, High 65 db



Slimline Hood 90 cm - ECF9214B (Black)

Dimensi Produk : 900 x 135 x 500 (WxHxD)(mm)

- Powerful 600 m³/h maximum airflow
- 3 fan speeds
- Multi layer grease filtration
- Front recirculation or extration operation modes
- Noise level: 50-60 dB (A)
- Carbon filter
- Air outlet: 150mm
- Motor power: 2 x 242W
- Total connected load: 170W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level : Low 57 db, High 69 db



Slimline Hood 90 cm - EFT9033K (Black)

Dimensi Produk : 900 x 135 x 494 (WxHxD)(mm)

- Powerful 500 m³/h maximum airflow
- 3 fan speeds
- Multi layer grease filtration
- Front recirculation or extration operation modes
- 2 motor
- Carbon filter
- Air outlet: 120mm
- 25W incandescent lamp x 2
- Total connected load: 170W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level : Low 65 db, High 69 db



Slimline Hood 60 cm - EFT6032K (Black)

Dimensi Produk : 600 x 135 x 494 (WxHxD)(mm)

- Powerful 190 m³/h maximum airflow
- 3 fan speeds
- Multi layer grease filtration
- Front recirculation or extration operation modes
- 1 motor
- Carbon filter
- Air outlet: 120mm
- 25W incandescent lamp x 2
- Total connected load: 170W
- Voltage: 220-240V
- Frequency: 50Hz
- Noise level : 65 db



Swedish thinking. Better living.



Indonesia

PT Electrolux Indonesia

Jl. Tanah Abang II No.42, Petojo Selatan,
Gambir, Jakarta Pusat 10160, Indonesia

Hotline Service: 0804 111 9999

SMS: 0812 8088 8863

WA: 0811 8339 777

Email: customercareID@electrolux.com

Website: www.electrolux.co.id